

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|--|---------------------------|--------------|--|--|-------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Abutilon theophrasti</i> | velvet-leaf | herb | <i>Abutilon abutilon</i> ; <i>Abutilon avicennae</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Acroptilon repens</i> | Russian knapweed | herb | <i>Centaurea repens</i> ; <i>C. picris</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Alliaria petiolata</i> | garlic mustard | herb | <i>Alliaria alliaria</i> ; <i>Alliaria officinalis</i> ; <i>Erysimum alliaria</i> ; <i>Sisymbrium alliaria</i> | hedge garlic | Prevent | Prevent | Prevent | Prevent |
| <i>Anthriscus caucalis</i> | burr chervil | herb | <i>Anthriscus neglecta</i> ; <i>A. scandicina</i> | bur chervil | Prevent | Prevent | Prevent | Prevent |
| <i>Anthriscus sylvestris</i> | wild chervil | herb | <i>Chaerophyllum sylvestre</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Centaurea debeauxii</i> | meadow knapweed | herb | <i>Centaurea x moncktonii</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Centaurea solstitialis</i> | yellow starthistle | herb | <i>Leucantha solstitialis</i> ; <i>Centaurea melitensis</i> | Maltese starthistle | Prevent | Prevent | Prevent | Prevent |
| <i>Cirsium palustre</i> | marsh plume thistle | herb | | | Prevent | Prevent | Prevent | Prevent |
| <i>Clematis vitalba</i> | wild clematis | shrub | | traveler's joy; evergreen clematis | Prevent | Prevent | Prevent | Insufficient Information |
| <i>Conium maculatum</i> | poison hemlock | herb | | | Prevent | Prevent | Prevent | Prevent |
| <i>Crupina vulgaris</i> | common crupina | herb | | bearded creeper, false saw-wort, starry scabious | Prevent | Prevent | Prevent | Prevent |
| <i>Cynoglossum officinale</i> | hound's-tongue | herb | | gypsyflower | Prevent | Prevent | Prevent | Prevent |
| <i>Cyperus esculentus</i> | yellow nutsedge | graminoid | | yellow nut-grass | Prevent | Prevent | Prevent | Prevent |
| <i>Cyperus rotundus</i> | purple nutsedge | graminoid | | coco-grass, Java grass, nut grass, red nutsedge, kravanh chruk | Prevent | Prevent | Prevent | Prevent |
| <i>Datura stramonium</i> | jimsonweed | herb | <i>Datura tatula</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Dipsacus fullonum</i> | teasel | herb | | Fuller's teasel | Prevent | Prevent | Prevent | Prevent |
| <i>Euphorbia esula</i> | leafy spurge | herb | <i>Euphorbia virgata</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Fallopia sachalinensis</i> | giant knotweed | herb | <i>Reynoutria sachalinensis</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Gypsophila paniculata</i> | baby's breath | herb | | | Prevent | Prevent | Prevent | Prevent |
| <i>Hieracium flagellare</i> | whiplash hawkweed | herb | | flagellate hawkweed, (invasive yellow hawkweed) | Prevent | Prevent | Prevent | Prevent |
| <i>Hyoscyamus niger</i> | black henbane | herb | | stinking nightshade | Prevent | Prevent | Prevent | Prevent |
| <i>Knautia arvensis</i> | field scabious | herb | <i>Scabiosa arvensis</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Lamium amplexicaule</i> | common dead-nettle | herb | | henbit deadnettle | Prevent | Prevent | Prevent | Prevent |
| <i>Lysimachia vulgaris</i> | garden yellow loosestrife | herb | | yellow loosestrife | Prevent | Prevent | Prevent | Prevent |
| <i>Myriophyllum aquaticum</i> | parrotweed; parrotfeather | aquatics | | Brazilian water-milfoil | Prevent | Prevent | Prevent | Prevent |
| <i>Myriophyllum spicatum</i> | Eurasian water-milfoil | aquatics | | | Prevent | Prevent | Prevent | Prevent |
| <i>Phragmites australis subsp. australis</i> | common reed | graminoid | | | Prevent | Prevent | Prevent | Prevent |
| <i>Pueraria montana</i> | kudzu | herb | <i>Pueraria lobata</i> | Japanese arrowroot | Prevent | Prevent | Prevent | Prevent |
| <i>Silybum marianum</i> | milk thistle | herb | <i>Carduus marianus</i> ; <i>Mariana mariana</i> | | Prevent | Prevent | Prevent | Prevent |
| <i>Soliva sessilis</i> | carpet burweed | herb | <i>Soliva daucifolia</i> ; <i>S. pterosperma</i> | field burweed | Prevent | Prevent | Prevent | Prevent |
| <i>Spartina alterniflora</i> | Smooth Cordgrass | herb | | Saltwater cordgrass | Prevent | Prevent | Prevent | Prevent |
| <i>Spartina anglica</i> | English cordgrass | herb | | | Prevent | Prevent | Prevent | Prevent |
| <i>Spartina densiflora</i> | Dense-flowered Cordgrass | herb | | | Prevent | Prevent | Prevent | Prevent |
| <i>Spartina patens</i> | Saltmeadow Cordgrass | herb | | | Prevent | Prevent | Prevent | Prevent |
| <i>Spartium junceum</i> | Spanish Broom | shrub | | | Prevent | Prevent | Prevent | Prevent |
| <i>Spergula arvensis</i> | corn-spurry | herb | <i>Spergula sativa</i> | stickwort | Prevent | Prevent | Prevent | Prevent |
| <i>Tribulus terrestris</i> | puncture vine | herb | | | Prevent | Prevent | Prevent | Prevent |
| <i>Ulex europaeus</i> | gorse | shrub | | | Prevent | Prevent | Prevent | Prevent |
| <i>Vinca major</i> | Large periwinkle | herb | | bigleaf periwinkle | Prevent | Prevent | Prevent | Prevent |
| <i>Anchusa officinalis</i> | common bugloss | herb | <i>Anchusa procera</i> | alkanet | Eradicate | Eradicate | Prevent | Eradicate |
| <i>Butomus umbellatus</i> | flowering rush | herb | | | Eradicate | Prevent | Eradicate | Prevent |
| <i>Chondrilla juncea</i> | rush skeletonweed | herb | | | Eradicate | Prevent | Prevent | Eradicate |
| <i>Cytisus multiflorus</i> | White Spanish Broom | shrub | | | Eradicate | Prevent | Eradicate | Prevent |
| <i>Daphne laureola</i> | spurge laurel | shrub | | daphne laurel | Eradicate | Eradicate | Prevent | Prevent |
| <i>Euphorbia cyparissias</i> | cypress spurge | herb | <i>Galarhoeus cyparissias</i> ; <i>Tithymalus cyparissias</i> | | Eradicate | Eradicate | Eradicate | Prevent |
| <i>Heracleum mantegazzianum</i> | giant hogweed | herb | | | Eradicate | Eradicate | Prevent | Eradicate |
| <i>Iris pseudacorus</i> | yellow flag iris | herb | | yellow iris; paleyellow iris | Eradicate | Eradicate | Eradicate | Eradicate |

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|---------------------------------------|------------------------------|--------------|---|---|-------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Lathyrus latifolius</i> | broad-leaved peavine | herb | | everlasting peavine; perennial pea | Eradicate | Eradicate | Prevent | Eradicate |
| <i>Lathyrus sylvestris</i> | flat pea | herb | | narrow-leaved everlasting peavine | Eradicate | Eradicate | Eradicate | Prevent |
| <i>Lythrum salicaria</i> | purple loosestrife | herb | | | Eradicate | Eradicate | Eradicate | Eradicate |
| <i>Onopordum acanthium</i> | Scotch Thistle | herb | | | Eradicate | Eradicate | Prevent | Prevent |
| <i>Pastinaca sativa</i> | Wild parsnip | herb | | common parsnip | Eradicate | Prevent | Prevent | Eradicate |
| <i>Polygonum polystachyum</i> | Himalayan knotweed | herb | <i>Periscaria wallichii</i> ; <i>Aconogonum polystachyum</i> | | Eradicate | Eradicate | Eradicate | Prevent |
| <i>Potamogeton crispus</i> | curled pondweed | aquatics | | | Eradicate | Prevent | Eradicate | Prevent |
| <i>Senecio jacobaea</i> | tansy ragwort | herb | | stinking willie | Eradicate | Eradicate | Prevent | Prevent |
| <i>Berteroa incana</i> | hoary alyssum | herb | <i>Alyssum incanum</i> | | Contain | Eradicate | Eradicate | Insufficient Information |
| <i>Buddleja davidii</i> | butterfly bush | shrub | | | Contain | Contain | Eradicate | Prevent |
| <i>Centaurea biebersteinii</i> | spotted knapweed | herb | <i>Centaurea stoebe</i> | | Contain | Contain | Contain | Strategic Control |
| <i>Centaurea diffusa</i> | diffuse knapweed | herb | <i>Acosta diffusa</i> | | Contain | Contain | Contain | Strategic Control |
| <i>Cytisus scoparius</i> | Scotch broom | shrub | <i>Sarothamnus scoparius</i> | Common broom, Scot's broom; Scottish broom | Contain | Strategic Control | Eradicate | Eradicate |
| <i>Echium vulgare</i> | blueweed | herb | | viper's bugloss | Contain | Contain | Prevent | Contain |
| <i>Fallopia japonica</i> | Japanese knotweed | herb | <i>Reynoutria japonica</i> | | Contain | Contain | Eradicate | Eradicate |
| <i>Fallopia x bohemicum</i> | Bohemian knotweed | herb | <i>Reynoutria x bohemica</i> | | Contain | Contain | Prevent | Prevent |
| <i>Hedera helix + Helix varieties</i> | English ivy & varieties | shrub | | | Contain | Contain | Prevent | Prevent |
| <i>Ilex aquifolium</i> | English holly | shrub | | | Contain | Contain | Prevent | Prevent |
| <i>Impatiens glandulifera</i> | policeman's helmet | herb | <i>Impatiens roylei</i> | Himalayan Balsam; ornamental jewelweed | Contain | Strategic Control | Eradicate | Eradicate |
| <i>Impatiens parviflora</i> | smallflower touch-me-not | herb | | Small touch-me-not; balsam; small balsam | Contain | Insufficient Information | Contain | Eradicate |
| <i>Lamium galeobdolon</i> | yellow lamium | herb | <i>Lamiastrum galeobdolon</i> | Yellow archangel | Contain | Strategic Control | Contain | Contain |
| <i>Potentilla recta</i> | sulphur cinquefoil | herb | | | Contain | Prevent | Eradicate | Contain |
| <i>Rubus armeniacus</i> | Himalayan blackberry | shrub | <i>Rubus discolor</i> | | Contain | Strategic Control | Eradicate | Eradicate |
| <i>Rubus laciniatus</i> | cutleaf evergreen blackberry | shrub | | cutleaf blackberry; evergreen blackberry | Contain | Strategic Control | Eradicate | Eradicate |
| <i>Symphytum officinale</i> | Common Comfrey | herb | | | Contain | Contain | Eradicate | Eradicate |
| <i>Arctium minus</i> | common burdock | herb | <i>Arctium spp. (IAPP)</i> ; <i>Lappa minor</i> | lesser burdock | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Artemisia absinthium</i> | wormwood | herb | | absinthe; absinthium | Strategic Control | Prevent | Prevent | Strategic Control |
| <i>Centaurea cyanus</i> | cornflower | herb | <i>Leucacantha cyanus</i> | bachelors buttons; garden cornflower | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Chenopodium album</i> | lamb's-quarters | herb | | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Cichorium intybus</i> | chicory | herb | | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Cirsium arvense</i> | Canada thistle | herb | <i>Breea arvensis</i> ; <i>Breea incana</i> ; <i>Carduus arvensis</i> ; <i>Cirsium incanum</i> ; <i>Cirsium setosum</i> ; <i>Serratula arvensis</i> | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Cirsium vulgare</i> | bull thistle | herb | <i>Carduus lanceolatus</i> ; <i>Cardus vulgaris</i> ; <i>Cirsium lanceolatum</i> | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Convolvulus spp.</i> | invasive morning glory | herb | <i>Convolvulus arvensis</i> ; <i>Strophocaulos arvensis</i> | bindweed; creeping jenny | Strategic Control | No action | Strategic Control | Strategic Control |
| <i>Digitalis purpurea</i> | foxglove | herb | | common foxglove, purple foxglove | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Gnaphalium uliginosum</i> | marsh cudweed | herb | <i>Filaginnella uliginosa</i> ; <i>Gnaphalium grayi</i> | | Strategic Control | Strategic Control | No action | Prevent |
| <i>Hesperis matronalis</i> | dame's rocket | herb | | sweet rocket | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Hieracium aurantiacum</i> | orange hawkweed | herb | | orange-red king devil | Strategic Control | Strategic Control | Contain | Strategic Control |
| <i>Hieracium caespitosum</i> | Meadow Hawkweed | herb | <i>Hieracium pratense</i> | Yellow King Devil, (invasive yellow hawkweed) | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Hieracium maculatum</i> | Spotted hawkweed | herb | | mottled hawkweed, (invasive yellow hawkweed) | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Hieracium piloselloides</i> | tall hawkweed | herb | <i>Hieracium florentinum</i> | (invasive yellow hawkweed) | Strategic Control | Strategic Control | Strategic Control | Strategic Control |

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|--------------------------------|---------------------------------|--------------|---|---|--------------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Hieracium praealtum</i> | Queen devil hawkweed | herb | <i>Hieracium bauhini</i> | king devil, king-devil hawkweed (invasive yellow hawkweed) | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Hypericum perforatum</i> | common St. John's-wort | herb | | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Hypochaeris radicata</i> | hairy cat's ear | herb | | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Lactuca serriola</i> | prickly lettuce | herb | <i>Lactuca scariola</i> | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Leucanthemum vulgare</i> | oxeye daisy | herb | <i>Chrysanthemum leucanthemum</i> ; <i>Leucanthemum leucanthemum</i> | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Linaria dalmatica</i> | dalmatian Toadflax | herb | <i>Linaria genistifolia</i> | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Linaria vulgaris</i> | Common toadflax | herb | <i>Linaria linaria</i> | Butter-and-eggs; yellow toadflax | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Lysimachia punctata</i> | large yellow loosestrife | herb | | Spotted loosestrife | Strategic Control | Strategic Control | Strategic Control | Prevent |
| <i>Matricaria perforata</i> | scentless chamomile | herb | <i>Tripleurospermum inodorum</i> ; <i>Chamomilla inodora</i> ; <i>Matricaria inodora</i> | scentless mayweed; false chamomile | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Oenothera biennis</i> | common evening-primrose | herb | <i>Oenothera albinervis</i> ; <i>Oenothera angustissima</i> ; <i>Oenothera canovirens</i> ; <i>Oenothera cruciata</i> ; <i>Oenothera depressa</i> ; <i>Oenothera hookeri</i> ; <i>Oenothera muricata</i> ; <i>Oenothera parviflora</i> ; <i>Oenothera pycnocarpa</i> ; <i>Oenothera strigosa</i> ; <i>Oenothera villosa</i> | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Rhus glabra</i> | smooth sumac | shrub | <i>Rhus borealis</i> ; <i>Rhus calophylla</i> | | Strategic Control | No action | Strategic Control | No action |
| <i>Silene vulgaris</i> | bladder campion | herb | <i>Oberna commutata</i> ; <i>Silene cucubalus</i> ; <i>Silene inflata</i> ; <i>Silene latifolia</i> | maidenstears | Strategic Control | Prevent | Strategic Control | Prevent |
| <i>Sinapis arvensis</i> | Wild mustard | herb | <i>Brassica kaber</i> | corn mustard; charlock | Strategic Control | Prevent | Strategic Control | Strategic Control |
| <i>Sisymbrium loeselii</i> | Loesel's tumble-mustard | herb | | Small tumbleweed mustard | Strategic Control | Insufficient Information | Strategic Control | Insufficient Information |
| <i>Sisymbrium officinale</i> | hedge mustard | herb | <i>Erysimum officinale</i> | | Strategic Control | Insufficient Information | Strategic Control | Insufficient Information |
| <i>Sonchus arvensis</i> | perennial sow thistle | herb | <i>Sonchus uliginosus</i> | field sowthistle | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Sonchus oleraceus</i> | annual sow thistle | herb | | Common sow thistle | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Tanacetum vulgare</i> | common tansy | herb | <i>Chrysanthemum vulgare</i> ; <i>Tanacetum boreale</i> | | Strategic Control | Strategic Control | Strategic Control | Strategic Control |
| <i>Vinca minor</i> | common periwinkle | herb | | | Strategic Control | Strategic Control | Contain | Prevent |
| <i>Aegopodium podagraria</i> | bishop's goutweed; ground elder | herb | | bishop's weed; ground elder | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Agrostis capillaris</i> | colonial bentgrass | graminoid | <i>Agrostis sylvatica</i> ; <i>Agrostis tenuis</i> ; <i>Agrostis vulgaris</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Agrostis gigantea</i> | redtop | graminoid | <i>Agrostis alba</i> , <i>Agrostis nigra</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Agrostis stolonifera</i> | creeping bentgrass | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Alisma sp.</i> | water-plantain | aquatics | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Alopecurus geniculatus</i> | water meadow-foxtail | graminoid | <i>Alopecurus pallescens</i> ; <i>Alopecurus saccatus</i> | water foxtail | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Anthoxanthum odoratum</i> | sweet vernal grass | graminoid | <i>Anthoxanthum puelii</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Bellis perennis</i> | English daisy | herb | | lawndaisy | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Betula pendula</i> | weeping birch | tree | <i>Betula verrucosa</i> | European birch, European White Birch, Silver Birch, warty birch, East Asian White Birch | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Brassica rapa</i> | field mustard | herb | <i>Brassica campestris</i> | bird's rape | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Bromus aleutensis</i> | Alaska brome | graminoid | <i>Bromus sitchensis</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Bromus commutatus</i> | meadow brome | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Bromus erectus</i> | erect brome | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Bromus inermis</i> | smooth brome | graminoid | <i>Bromopsis inermis</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Callitriche stagnalis</i> | pond water-starwort | herb | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Campanula rapunculoides</i> | creeping bellflower | herb | | rampion bellflower | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Centaurea montana</i> | mountain bluet | herb | | Perennial cornflower | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|--|--------------------------------------|--------------|---|--|--------------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Coreopsis lanceolata</i> | garden coreopsis | herb | <i>Coreopsis crassifolia</i> ; <i>Coreopsis heterogyna</i> | lanceleaf tickseed | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Coronilla varia</i> | tufted crown-vetch | herb | <i>Securigera varia</i> | Common Crown Vetch | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Crepis capillaris</i> | smooth hawksbeard | herb | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Crepis tectorum</i> | annual hawksbeard | herb | | narrowleaf hawksbeard | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Dactylis glomerata</i> | orchard grass | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Daucus carota</i> | wild carrot; Queen Anne's lace | herb | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Dianthus barbatus</i> | sweet william | herb | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Dianthus deltoides</i> | maiden pink | herb | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Echinochloa crusgalli</i> | barnyard grass; large barnyard-grass | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Festuca ovina</i> | sheep fescue | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Festuca rubra ssp. fallax</i> | Chewing's fescue | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Gilia capitata</i> | globe gilia | herb | | Blue field gilia; bluehead gilia | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Holcus lanatus</i> | velvetgrass | graminoid | <i>Nothololcus lanatus</i> | Yorkshire fog | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Hordeum jubatum</i> | foxtail barley | graminoid | <i>Hordeum caespitosum</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Hordeum vulgare</i> | common barley | graminoid | <i>Hordeum aegiceras</i> ; <i>Hordeum distichon</i> ; <i>Hordeum hexastichon</i> ; <i>Hordeum irregulare</i> ; <i>Hordeum sativum</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Juncus bufonius</i> | toad rush | graminoid | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Juncus bulbosus</i> | bulbous rush | graminoid | <i>Juncus supinus</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Lactuca biennis</i> | tall blue lettuce | herb | <i>Lactuca spicata</i> ; <i>Mulgedium spicatum</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Lamium purpureum</i> | purple dead-nettle | herb | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Lapsana communis</i> | nipplewort | herb | | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Lepidium campestre</i> | field pepper-grass | herb | <i>Neolepia campestris</i> ; <i>Thlaspi campestre</i> | field pepperweed | Insufficient Information | Insufficient Information | No action | Insufficient Information |
| <i>Linum usitatissimum</i> | common flax | herb | <i>Linum humile</i> | | Insufficient Information | Insufficient Information | No action | Insufficient Information |
| <i>Lobularia maritima</i> | sweet alyssum | herb | <i>Alyssum maritimum</i> ; <i>Clypeola maritima</i> ; <i>Koniga maritima</i> | | Insufficient Information | Insufficient Information | No action | Insufficient Information |
| <i>Lolium multiflorum</i> | Italian ryegrass | graminoid | <i>Lolium perenne var. aristatum</i> | annual ryegrass | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Lolium perenne</i> | perennial ryegrass | graminoid | | English ryegrass | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Nymphaea odorata subsp. odorata</i> | Fragrant water lily | aquatics | <i>Castalia lekophylla</i> ; <i>Castalia minor</i> ; <i>Castalia odorata</i> ; <i>Castalia reniformis</i> ; <i>Nymphaea minor</i> | American White waterlily | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Phalaris arundinacea</i> | reed canary grass | graminoid | | | Insufficient Information | Insufficient Information | Strategic Control | Insufficient Information |
| <i>Prunus avium</i> | bird cherry | shrub | <i>Cerasus avium</i> | sweet cherry | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Prunus laurocerasus</i> | cherry-laurel | shrub | <i>Cerasus laurocerasus</i> ; <i>Laurocerasus officinalis</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Silene noctiflora</i> | Night-flowering catch fly | herb | <i>Melandrium noctiflorum</i> | nightflowering silene; sticky cockle | Insufficient Information | Prevent | Prevent | Prevent |
| <i>Sonchus asper</i> | prickly sow-thistle | herb | <i>Sonchus nymanii</i> | spiny sowthistle | Insufficient Information | Insufficient Information | Strategic Control | Insufficient Information |
| <i>Sorbus aucuparia</i> | European mountain-ash; rowan | shrub | <i>Pyrus aucuparia</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Spergularia rubra</i> | red sand-spurry | herb | <i>Tissa rubra</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Stellaria media</i> | common chickweed | herb | | Common starwort | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Tanacetum parthenium</i> | feverfew | herb | <i>Chrysanthemum parthenium</i> ; <i>Matricaria parthenium</i> | | Insufficient Information | Insufficient Information | Insufficient Information | Insufficient Information |
| <i>Achillea filipendulina</i> | fernleaf yarrow | herb | | Milfoil, nosebleed, yarrow | No action | No action | No action | No action |
| <i>Ajuga reptans</i> | bugle-weed; common bugle | herb | | blue bugle, carpetweed, carpet bugleweed, bugle herb, St. Lawrence plant | No action | No action | No action | No action |
| <i>Amaranthus retroflexus</i> | Redroot amaranth / rough pigweed | herb | <i>Amaranthus retroflexus var. salicifolius</i> | red-rooted pigweed, common amaranth, pigweed amaranth, common tumbleweed | No action | No action | No action | No action |

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|---------------------------------|------------------------------|--------------|---|---|-------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Capsella bursa-pastoris</i> | shepherd's purse | herb | <i>Bursa buras-pastoris</i> , <i>Bursa bursa-pastoris</i> var. <i>bifida</i> , <i>Bursa gracilis</i> , <i>Capsella rubella</i> , <i>Thlaspi bursa-pastoris</i> | | No action | No action | No action | No action |
| <i>Cardamine hirsuta</i> | hairy bitter-cress | herb | | | No action | No action | No action | No action |
| <i>Cerastium fontanum</i> | mouse-ear chickweed | herb | | common mouse-ear, starweed | No action | No action | No action | No action |
| <i>Conyza canadensis</i> | Canadian horseweed | herb | <i>Erigeron canadensis</i> | horseweed, Canadian fleabane, coltstail, marestail, butterweed | No action | No action | No action | No action |
| <i>Crataegus monogyna</i> | English hawthorn | shrub | <i>Crataegus curvisepala</i> , <i>C. monogyna</i> var. <i>rosea</i> , <i>Crataegus oxyacantha</i> , <i>Crataegus oxyacantha</i> var. <i>paulii</i> | Oneseed hawthorn, common hawthorn | No action | No action | No action | No action |
| <i>Digitaria sanguinalis</i> | hairy crabgrass | graminoid | <i>Panicum sanguinale</i> , <i>Syntherisma sanguinalis</i> | Hairy fingergrass, large crabgrass, crab fingergrass, purple crabgrass | No action | No action | No action | No action |
| <i>Elymus repens</i> | quackgrass | graminoid | <i>Agropyron repens</i> , <i>agropyron repens</i> var. <i>subulatum</i> , <i>Elytrigia repens</i> , <i>Elytrigia repens</i> var. <i>vallantiana</i> , <i>Elytria vaillantiana</i> , <i>Triticum repens</i> , <i>Triticum vaillantianum</i> | Couch grass, common couch, twitch, quick grass, quitch grass, dog grass, scutch grass, witchgrass | No action | No action | No action | No action |
| <i>Eschscholzia californica</i> | California poppy | herb | | golden poppy, California sunlight, cup of gold | No action | No action | No action | No action |
| <i>Euphrasia nemorosa</i> | common eyebright | herb | | | No action | No action | No action | No action |
| <i>Galeopsis tetrahit</i> | hemp-nettle | herb | | common hemp-nettle, brittlestem hempnettle | No action | No action | No action | No action |
| <i>Galium aparine</i> | cleavers | herb | <i>Galium agreste</i> var. <i>echinospermum</i> , <i>Galium aparine</i> subsp. <i>Spurium</i> , <i>Galium aparine</i> var. <i>echinospermum</i> , <i>Galium aparine</i> var. <i>intermedium</i> , <i>Galium aparine</i> var. <i>minor</i> , <i>Galium aparine</i> var. <i>vallantii</i> , <i>Galium spurium</i> , <i>Galium spurium</i> var. <i>echinospermum</i> , <i>Galium spurium</i> var. <i>vallantii</i> | bort, bedstraw, goosegrass, catchweed, stickyweed, stickybud, robin-run-the-hedge, sticky willy, sticky willow, stickyjack, stickeljack, grip grass | No action | No action | No action | No action |
| <i>Genista lydia</i> | lydia broom; lydia woodwaxen | shrub | | | No action | No action | No action | No action |
| <i>Geranium robertianum</i> | herb-Robert | herb | | Red robin, death come quickly, storksbill, fox geranium, stinking Bob, squinter-pip, crow's foot, Robert's geranium | No action | No action | No action | No action |
| <i>Lotus corniculatus</i> | bird's-foot trefoil | herb | <i>Lotus corniculatus</i> var. <i>arvensis</i> , <i>Lotus corniculatus</i> var. <i>ciliatus</i> , <i>Lotus corniculatus</i> var. <i>tenuifolius</i> | Eggs and bacon | No action | No action | No action | No action |
| <i>Matricaria discoidea</i> | pineapple weed | herb | <i>Artemisia matricarioides</i> , <i>Chamomilla suaveolens</i> , <i>Lepidanthus suaveolens</i> , <i>Lepidotheca suaveolens</i> , <i>Matricaria matricarioides</i> , <i>Matricaria suaveolens</i> , <i>Santolina suaveolens</i> , <i>Tanacetum suaveolens</i> | wild chamomille, disc mayweed | No action | No action | No action | No action |
| <i>Medicago lupulina</i> | black medic | herb | <i>Medicago lupulina</i> var. <i>cupaniana</i> , <i>Medicago lupulina</i> var. <i>glandulosa</i> | nonesuch, hop-clover | No action | No action | No action | No action |
| <i>Medicago sativa</i> | alfalfa | herb | | Lucerne | No action | No action | No action | No action |
| <i>Melilotus alba</i> | white sweet-clover | herb | | honey clover, Bokhara clover, sweet clover, white melilot | No action | No action | No action | No action |

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|--|------------------------------|--------------|---|---|-------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Melilotus officinalis</i> | yellow sweet-clover | herb | <i>Melilotus alba</i> Medikus, <i>M. albus</i> Medik, <i>M. albus</i> var. <i>annuus</i> , <i>M. arvensis</i> , <i>M. leucanthus</i> , <i>M. lutea</i> , <i>M. officinalis</i> var. <i>micranthus</i> | yellow melilot, ribbed melilot | No action | No action | No action | No action |
| <i>Mycelis muralis</i> | wall lettuce | herb | <i>Lactuca muralis</i> , <i>Prenanthes muralis</i> , <i>Cicerbita muralis</i> , <i>Phaenopus muralis</i> | | No action | No action | No action | No action |
| <i>Myosotis laxa</i> | small-flowered forget-me-not | herb | | Tufted forget-me-not, bay forget-me-not | No action | No action | No action | No action |
| <i>Myosotis sylvatica</i> | wood forget-me-not | herb | <i>M. alpestris</i> , <i>M. alpestris</i> subsp. <i>asiatica</i> , <i>M. sylvatica</i> var. <i>alpestris</i> | woodland forget-me-not | No action | No action | No action | No action |
| <i>Papaver nudicaule</i> | Iceland poppy | herb | <i>Papaver freedmanianum</i> , <i>P. kluanense</i> , <i>P. lapponicum</i> subsp. <i>occidentale</i> , <i>P. lapponicum</i> subsp. <i>Porsildii</i> , <i>P. miyabeum</i> , <i>P. nigroflavum</i> , <i>P. nudicaule</i> var. <i>coloradense</i> , <i>P. nudicaule</i> var. <i>columbianum</i> , <i>P. nudicaule</i> var. <i>radicatum</i> , <i>P. radicatum</i> subsp. <i>occidentale</i> , <i>P. radicatum</i> subsp. <i>porsildii</i> | | No action | No action | No action | No action |
| <i>Persicaria maculosa</i> / <i>Polygonum persicaria</i> | lady's-thumb | herb | <i>Persicaria maculosa</i> , <i>Polygonum persicaria</i> | spotted lady's thumb, Jesus plant, redshank | No action | No action | No action | No action |
| <i>Phalaris arundinacea</i> var. <i>Castor</i> or <i>Fee</i> | ribbon grass | graminoid | <i>Phalaris arundinacea</i> var. <i>picta</i> , <i>Phalaroides arundinacea</i> , <i>Phalaroides arundinacea</i> var. <i>picta</i> | Reed canarygrass, gardeners'-garters | No action | No action | Contain | No action |
| <i>Phleum pratense</i> | timothy | graminoid | <i>Phleum nodosum</i> , <i>P. pratense</i> subsp. <i>Nodosum</i> , <i>P. pratense</i> var. <i>nodosum</i> | Timothy-grass, timothy hay | No action | No action | No action | No action |
| <i>Plantago lanceolata</i> | ribwort | herb | <i>Plantago altissima</i> , <i>Plantago lanceolata</i> var. <i>sphaerostachya</i> | Ribwort plantain, narrowleaf plantain, English plantain, ribleaf, lamb's tongue | No action | No action | No action | No action |
| <i>Plantago major</i> | common plantain | herb | <i>Plantago asiatica</i> , <i>Plantago halophila</i> , <i>P. major</i> subsp. <i>intermedia</i> , <i>P. major</i> var. <i>asiatica</i> , <i>P. major</i> var. <i>intermedia</i> , <i>P. major</i> var. <i>pachyphylla</i> , <i>P. major</i> var. <i>pilgeri</i> , <i>P. major</i> var. <i>scopulorum</i> | Broadleaf plantain, greater plantain, White man's foot | No action | No action | No action | No action |
| <i>Poa annua</i> | annual bluegrass | graminoid | <i>Poa annua</i> var. <i>aquatica</i> , <i>poa annua</i> var. <i>reptans</i> | Annual meadow grass | No action | No action | No action | No action |
| <i>Poa compressa</i> | Canada bluegrass | graminoid | | flattened meadow-grass | No action | No action | No action | No action |
| <i>Poa pratensis</i> | Kentucky bluegrass | graminoid | <i>Poa agassizensis</i> , <i>Poa angustifolia</i> , <i>P. pratensis</i> subsp. <i>Agassizensis</i> , <i>P. pratensis</i> subsp. <i>Angustifolia</i> , <i>P. pratensis</i> var. <i>domestica</i> , <i>P. pratensis</i> var. <i>gelida</i> , <i>P. pratensis</i> var. <i>iantha</i> | Common meadow-grass | No action | No action | No action | No action |
| <i>Poa trivialis</i> | rough bluegrass | graminoid | <i>Poa attica</i> | rough-stalked meadow-grass, rough meadow-grass | No action | No action | No action | No action |
| <i>Polygonum aviculare</i> | common knotweed | herb | <i>P. aviculare</i> var. <i>angustissimum</i> , <i>P. aviculare</i> var. <i>vegetum</i> , <i>Polygonum heterophyllum</i> , <i>Polygonum monspeliense</i> , <i>Polygonum neglectum</i> , <i>Polygonum provinciale</i> , <i>Polygonum rurivaquum</i> | prostrate knotweed, common knotgrass | No action | No action | No action | No action |
| <i>Potentilla argentea</i> | silvery cinquefoil | herb | | Silver cinquefoil | No action | Insufficient Information | No action | Insufficient Information |

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|------------------------------|--------------------------------------|--------------|---|---|-------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Potentilla norvegica</i> | Norwegian cinquefoil | herb | <i>P. monspeliensis</i> , <i>P. norvegica</i> subsp. <i>Hirsuta</i> , <i>P. norvegica</i> var. <i>hirsuta</i> , <i>P. norvegica</i> var. <i>labradorica</i> | Rough cinquefoil, ternate-leaved cinquefoil | No action | Insufficient Information | No action | Insufficient Information |
| <i>Prunella vulgaris</i> | self-heal | herb | <i>P. caroliniana</i> , <i>P. vulgaris</i> var. <i>elongata</i> , <i>P. vulgaris</i> var. <i>lanceolata</i> , <i>P. vulgaris</i> var. <i>vulgaris</i> | heal-all, woundwort, heart-of-the-earth, carpenter's herb, brownwort, blue curls | No action | No action | No action | No action |
| <i>Ranunculus acris</i> | meadow buttercup | herb | <i>R. acris</i> subsp. <i>strigulosus</i> , <i>R. acris</i> var. <i>latisectus</i> , <i>R. acris</i> var. <i>stevanii</i> , <i>R. acris</i> var. <i>typicus</i> , <i>R. acris</i> var. <i>villosus</i> , <i>R. boreanus</i> | tall buttercup | No action | No action | No action | No action |
| <i>Ranunculus repens</i> | creeping buttercup | herb | | Creeping crowfoot, sitfast | No action | No action | No action | No action |
| <i>Rudbeckia hirta</i> | blackeyed Susan | herb | | brown-eyed Susan, brown Betty, gloriosa daisy, golden Jerusalem, English bull's eye, poor-land daisy, yellow daisy, yellow ox-eye daisy | No action | No action | No action | No action |
| <i>Rumex acetosella</i> | sheep sorrel | herb | <i>Acetosella acetosella</i> , <i>Acetosella tenuifolia</i> , <i>Acetosella vulgaris</i> , <i>R. acetosella</i> subsp. <i>acetosella</i> , <i>R. acetosella</i> subsp. <i>Angiocarpus</i> , <i>R. acetosella</i> var. <i>pyrenaeus</i> , <i>R. acetosella</i> var. <i>tenuifolius</i> , <i>R. angiocarpus</i> , <i>R. tenuifolius</i> | sheep's sorrel, red sorrel, sour weed, field sorrel | No action | No action | No action | No action |
| <i>Rumex aquaticus</i> | western dock | herb | <i>R. aquaticus</i> subsp. <i>Fenestratus</i> , <i>R. aquaticus</i> subsp. <i>occidentalis</i> , <i>R. fenestratus</i> , <i>R. occidentalis</i> , <i>R. occidentalis</i> var. <i>fenestratus</i> , <i>R. occidentalis</i> var. <i>labradoricus</i> , <i>R. occidentalis</i> var. <i>procerus</i> , <i>R. subalpinus</i> | Scottish Dock | No action | No action | No action | No action |
| <i>Rumex crispus</i> | curled dock | herb | | Curly dock, yellow dock | No action | No action | No action | No action |
| <i>Rumex obtusifolius</i> | bitter dock | herb | <i>Acetosa oblongifolia</i> , <i>Rumex obtusifolius</i> subsp. <i>agrestis</i> , <i>Rumex obtusifolius</i> subsp. <i>obtusifolius</i> , <i>Rumex obtusifolius</i> subsp. <i>Sylvestris</i> , <i>Rumex obtusifolius</i> var. <i>sylvestris</i> | Broad-leaved dock | No action | No action | No action | No action |
| <i>Rumex sanguineus</i> | redvein dock | herb | | Bloody dock | No action | No action | No action | No action |
| <i>Sagina procumbens</i> | bird's-eye pearlwort | herb | | Procumbent pearlwort, matted pearlwort | No action | No action | No action | No action |
| <i>Sagittaria cuneata</i> | arumleaf arrowhead | aquatics | <i>Sagittaria arifolia</i> | Duck potato | No action | No action | No action | No action |
| <i>Sambucus nigra</i> | black elder | shrub | | common elder; elderberry; European elder | No action | No action | No action | No action |
| <i>Sanguisorba minor</i> | salad burnet | herb | | garden burnet, small burnet, burnet, Blue Elderberry | No action | No action | No action | No action |
| <i>Schedonorus pratensis</i> | meadow fescue | graminoid | <i>Festuca pratensis</i> , <i>Lolium pratense</i> | | No action | No action | No action | No action |
| <i>Secale cereale</i> | rye | graminoid | <i>Secale montanum</i> , <i>Secale strictum</i> , <i>Triticum cereale</i> | | No action | No action | No action | No action |
| <i>Senecio viscosus</i> | sticky ragwort | herb | | sticky groundsel, stinking groundsel | No action | No action | No action | No action |
| <i>Senecio vulgaris</i> | common groundsel | herb | | old-man-in-the-Spring | No action | No action | No action | No action |
| <i>Taraxacum officinale</i> | common dandelion | herb | | | No action | No action | No action | No action |
| <i>Tragopogon dubius</i> | yellow salsify; western goat's-beard | herb | <i>Tragopodon dubius</i> subsp. <i>major</i> , <i>tragopodon major</i> | western salsify, wild oysterplant, yellow goat's beard, goat's beard, common salsify | No action | No action | No action | No action |

| Scientific Name | Common Name | Growth habit | Scientific Name Synonyms | Other Common Names | Regional Priority | Priority in Squamish ISMA 1 | Priority in Whistler ISMA 2 | Priority in Pemberton ISMA 3 |
|-------------------------------|-------------------------|--------------|---|---|-------------------|-----------------------------|-----------------------------|------------------------------|
| <i>Trifolium hybridum</i> | alsike clover | herb | <i>Trifolium elegans</i> Savi, <i>Trifolium hybridum</i> subsp. <i>elegans</i> , <i>Trifolium hybridum</i> var. <i>elegans</i> , <i>Trifolium hybridum</i> var. <i>pratense</i> | | No action | No action | No action | No action |
| <i>Trifolium pratense</i> | red clover | herb | <i>T. pratense</i> var. <i>frigidum</i> , <i>T. pratense</i> var. <i>sativum</i> | | No action | No action | No action | No action |
| <i>Trifolium repens</i> | white clover | herb | <i>Trifolium repens</i> var. <i>atropurpureum</i> | Dutch clover, Ladino clover, Ladino | No action | No action | No action | No action |
| <i>Verbascum thapsus</i> | Mullein | herb | | Great mullein, common mullein | No action | No action | No action | No action |
| <i>Veronica officinalis</i> | common speedwell | herb | | health speedwell, common gypsyweed, Paul's betony | No action | No action | No action | No action |
| <i>Veronica serpyllifolia</i> | thyme-leaved speedwell | herb | | | No action | No action | No action | No action |
| <i>Vicia cracca</i> | tufted vetch | herb | | cow vetch, bird vetch, blue vetch, boreal vetch | No action | No action | No action | No action |
| <i>Vicia hirsuta</i> | hairy vetch; tiny vetch | herb | | hairy tare | No action | No action | No action | No action |